






1

Sett sammen og lim de to kjøldelene 12 og 13 på et plant underlag. Legg noe tungt oppå mens limet tørker slik at kjølen blir rett.




2

Pass på å plassere Nr. 19 inn i spantene 5, 6, 7 og 8 før de limes.




3



4


Fjern finerstykkene i åpningen for propellakslingen og rorstammen.




5

ME-21


ME-1



6





9



Pass på!!!


Ikke del dekksluken fra dekket E-1 om du bygger Jeanett som statisk modell uten motor og fjernstyring.

10




Lim 31A og 31B på undersiden av luken i dekket for å gi riktig fasong på luken.

7




11


Tilpass no. 26 først uten å lime den. Når alle delene (26, 28 og 29) er tilpasset til styrehuset, kan de limes sammen.



8




12




Legg E-2 i vann en stund for å gjøre den lett bøyelig.


13



14



15



16



17

20

24


25

18

19


22

23



M/S JEANETT 1/25

Monter dekksluke (Bilde 26), men ikke lim del 45B fast til dekket. Tilpass luken slik at den kan åpnes ved bruk til RC-mottager og akku.



modell-tec

M/S JEANETT 1/25

Motor og RC installasjon.

Dette er tilleggsutstyr og ikke inkludert i settet. Ønskes dette, kan vi levere det som trengs.

Motoren er en 600 elektromotor montert i motorholder. Rorstammen kobles til servoen på servo brettet (32). RC-mottager, fartsregulator og akku monteres foran eller i motorrommet, alt etter plass. Det er en fordel om RC-mottageren kommer så høyt i båten som mulig. Gjerne i styrehuset eller under dekket foran. Om ønskelig kan dekksluken foran (bilde 26) gjøres avtakbar ved ikke å lime 45B fast til dekket. Påse ved plassering av akku, utstyr og ballast at båten får en riktig balanse som passer til båtens vannlinje.

Skal båten brukes på vann anbefales det å limslå skroget utvendig med Epoxy før lakkering og maling. Gjør propellhylsen vanntett ved å ha fett (grease) i den og på propellakslingen.

Maling og farger: Se bilde på eskelokk og beskrivelse på eskeside.

Lykke til med Jeanett!

ØGREY-HOBBY

modell-tec

M/S JEANETT 1/25

Motor og RC installasjon.

Dette er tilleggsutstyr og ikke inkludert i settet. Ønskes dette, kan vi levere det som trengs.

Motoren er en 600 elektromotor montert i motorholder. Rorstammen kobles til servoen på servo brettet (32). RC-mottager, fartsregulator og akku monteres foran eller i motorrommet, alt etter plass. Det er en fordel om RC-mottageren kommer så høyt i båten som mulig. Gjerne i styrehuset eller under dekket foran. Om ønskelig kan dekksluken foran (bilde 26) gjøres avtakbar ved ikke å lime 45B fast til dekket. Påse ved plassering av akku, utstyr og ballast at båten får en riktig balanse som passer til båtens vannlinje.

Skal båten brukes på vann anbefales det å limslå skroget utvendig med Epoxy før lakkering og maling. Gjør propellhylsen vanntett ved å ha fett (grease) i den og på propellakslingen.


Maling og farger: Se bilde på eskelokk og beskrivelse på eskeside.

Lykke til med Jeanett!

ØGREY-HOBBY


Tegning-R/C

* Motor og RC utstyr er ikke inkludert i settet.



Tegning-R/C

* Motor og RC utstyr er ikke inkludert i settet.



MS JEANETT deleliste

Nr.	Antall	Beskrivelse	Dimensjon	Materiale
1...11	11	Spant	4 mm	Kryssfiner
12...13	2	Kjøl	4 mm	Kryssfiner
14	2	Spant/ anlegg foran	4 mm	Kryssfiner
15	2	Rorstamme forsterkning	4 mm	Kryssfiner
16	2	Spant holder/låsing	4 mm	Kryssfiner
17	2	Kjøl låsestykke	4 mm	Kryssfiner
18	1	Kjøl låsestykke bak	4 mm	Kryssfiner
19	1	RC utstyrsplate	4 mm	Kryssfiner
20	1	Dekkstøtte	4 mm	Kryssfiner
21	1	Underplate styrehustak	4 mm	Kryssfiner
22...29	8	Styrehusdeler	4 mm	Kryssfiner
30	1	Styrehusbord	4 mm	Kryssfiner
31A...31B	2	Spant underside dekksluke	4 mm	Kryssfiner
32	1	Servoplate	4 mm	Kryssfiner
33	1	Kjøllist	4 mm	Kryssfiner
34	1	Mastholder	4 mm	Kryssfiner
35...38	5	Stativ	4 mm	Kryssfiner
40	2	Luke foran	4 mm	Kryssfiner
41...44	6	Motorholder	4 mm	Kryssfiner
45A	1	Dekk foran	4 mm	Kryssfiner
45B	1	Luke foran	4 mm	Kryssfiner
46	1	Rattholder	4 mm	Kryssfiner
D5...D8	4	Bep plankning foran	1,5 mm	Kryssfiner
D9...D10	2	Dekkshus	1,5 mm	Kryssfiner
D12...D13	2	Dekkshus	1,5 mm	Kryssfiner
D14...D15	2	Dekkshus	1,5 mm	Kryssfiner
D23...D27	9	Styrehus trapp	1,5 mm	Kryssfiner
D28	1	Styrehus framvegg side	1,5 mm	Kryssfiner
D29	10	Vindusrammer	1,5 mm	Kryssfiner
D30...D32	6	Landternekasser	1,5 mm	Kryssfiner
D33	2	Dekkstrinn	1,5 mm	Kryssfiner
D37	1	Innvendig rekke høyre	1,5 mm	Kryssfiner
D34-D35	15	Rekke spant	1,5 mm	Kryssfiner
D45A...D45D	8	Lasteluke deler	1,5 mm	Kryssfiner
D46...D47	6	Redningsflåte stativ	1,5 mm	Kryssfiner
D48...D51	6	Styrehus takkasse	1,5 mm	Kryssfiner
D52	1	Innvendig rekke venstre	1,5 mm	Kryssfiner
D58...D69	12	Arbeidsbord	1,5 mm	Kryssfiner
D70...D71	2	Fiskekasse rist	1,5 mm	Kryssfiner
E1	1	Hoveddekk	1,5 mm	Kryssfiner
E2	1	Styrehus front	1,5 mm	Kryssfiner
E7	1	Styrehus frontdel	1,5 mm	Kryssfiner
E11	1	Dekksoverbygg front	1,5 mm	Kryssfiner
E16...E18	4	Mastfundament	1,5 mm	Kryssfiner
E19...E22	5	Styrehustak	1,5 mm	Kryssfiner
E36	1	Topp rekke høyre	1,5 mm	Kryssfiner
E38	1	Styrehus sidevegg	1,5 mm	Kryssfiner
E39...E40	2	Topp rekke venstre	1,5 mm	Kryssfiner
E41	1	Topp rekke bak	1,5 mm	Kryssfiner
E42...E44B	5	Lasteluke deler	1,5 mm	Kryssfiner
E53	1	Innvendig rekke venstre	1,5 mm	Kryssfiner
E54	1	Innvendig rekke bak	1,5 mm	Kryssfiner
E55...E57	5	Fiskekasse	1,5 mm	Kryssfiner
F1	1	Seil	-	Stoff
P1-1	5	Vindusglass	1 mm	Plexy-Glass
P1-2	6	Vindusglass	1 mm	Plexy-Glass
P2-1	2	Lukedeksel	1 mm	Plexy-Glass
P2-2	1	Styrehusdør	1 mm	Plexy-Glass
P2-3	1	Maskinromdør	1 mm	Plexy-Glass
P2-4	4	Støttemast	1 mm	Plexy-Glass

Side 2

Nr.	Antall	Beskrivelse	Dimensjon	Materiale
P2-5...P2-6	4	Redningsflåte	1 mm	Plexy-Glass
P2-7...P2-8	2	Radar	1 mm	Plexy-Glass
P2-9	3	Håndtak	1 mm	Plexy-Glass
P2-10	5	Håndtak	1 mm	Plexy-Glass
P2-11...P2-14	7	Vinsj deler	1 mm	Plexy-Glass
P2-15	1	Lasteromdeksel	1 mm	Plexy-Glass
P3-1	17	Rekkestøtte	1 mm	Plexy-Glass
P3-2	20	Rekkestøtte	1 mm	Plexy-Glass
P3-3	15	Rekkestøtte	1 mm	Plexy-Glass
P3-4	1	Rekkestøtte	1 mm	Plexy-Glass
P3-5	1	Lyskasterglass	1 mm	Plexy-Glass
P3-6	1	Pipefot	1 mm	Plexy-Glass
P3-7	1	Radar/landterne holder	1 mm	Plexy-Glass
R1	1	Redningsring	Ferdigdel	Plastikk
R2	1	Redningsringholder	Ferdigdel	Plexy-Glass
R3	1	Bunnplate	Ferdigdel	Plexy-Glass
R4	1	Vinsjplate	Ferdigdel	Plexy-Glass
K1-1	12	Vindusrammer	1 mm	Tre
ME1	1	Propellhylse	6x40 mm	Messing
ME2	1	Vinsjaksling	1,5x15 mm	Messing
ME3	1	Mast	4x65 mm	Messing
ME4	1	Hovedmast	6x185 mm	Messing
ME5	2	Maststag	4x185 mm	Messing
ME6	3	Tverrstag	4x70 mm	Messing
ME7	1	Mastbom	4x55 mm	Messing
ME8	1	Mastbom	6x95 mm	Messing
ME9	1	Mastbom	4x40 mm	Messing
ME10	-	Rekkestøtte vaier	0,8 mm	Metall
ME11	-	Rekkestøtte vaier	0,8 mm	Metall
ME12	1	Redningsflåte	16x29 mm	Messing
ME13...ME14	2	Skorstein	10 mm	Messing
ME15	1	Pipe	4x35 mm	Messing
ME16	2	Pipe	4x13 mm	Messing
ME17	4	Arbeidsbord ben	2x20 mm	Messing
ME18	1	Vinsjtrummel	4x29 mm	Messing
ME19	1	Metallrist	20x70 mm	Messing
ME20	1	Roraksling	1,5x120 mm	Messing
ME21	1	Roraksling	3x31 mm	Messing
ME22	1	Trapperekker	2x80 mm	Messing
ME23	1	Bakre mast	4x260 mm	Messing
ME24	1	Bakre maststag	3x203 mm	Messing
ME25	1	Bakre maststag	3x193 mm	Messing
ME26	1	Bakre nedre bom	4x95 mm	Messing
ME27	1	Bakre topp bom	4x78 mm	Messing
S1	70	Bekledningslister	1,7x5x700 mm	Furu
S2	-	Relingslister	2x2 mm	Furu
S3	1	Kjøel	4,5x4,5x440 mm	Furu
W1	1	Ror	Ferdigdel	Tre
W2	3	Dobbel blokk	Ferdigdel	Tre
WM1	1	Ratt	-	Hvit metall
WM2	1	Kompass	-	Hvit metall
WM3A...WM3B	2	Hastighetsregulator	-	Hvit metall
WM4...WM6	3	Radar	-	Hvit metall
WM-7	3	Landterner	-	Hvit metall
WM8	1	Bomkobling	-	Hvit metall
WM9	1	Bomkobling	-	Hvit metall
WM11...WM12	2	Lyskaster	-	Hvit metall
WM13	1	Redningsbøyeholder	-	Hvit metall
WM14	2	Bomkobling bak	-	Hvit metall
WM15...WM16	3	Vinsj	-	Hvit metall
WM17	2	Sidestykkervinsj	-	Hvit metall
WM18...WM19	2	Propell	-	Hvit metall
WM20	6	Pollert	-	Hvit metall
WM21	3	Blokk	-	Hvit metall
WM22	1	Blokk	-	Hvit metall
WM23	2	Redningsflåte	-	Hvit metall
Y1	1	Riggetråd	-	Tråd

JEANETT 1/25 PART LIST

NO	QUANTITY	DESCRIPTION	SIZE	TYPE
1...11	11	Frames	4 mm	Plywood
12...13	2	Keel parts	4 mm	Plywood
14	2	Front blocks	4 mm	Plywood
15	2	Rudder shaft keeper	4 mm	Plywood
16	2	Frame locks	4 mm	Plywood
17	2	Keel locks	4 mm	Plywood
18	1	Back keel lock	4 mm	Plywood
19	1	R/C equipment floor	4 mm	Plywood
20	1	Deck supporter	4 mm	Plywood
21	1	Roof jig part	4 mm	Plywood
22...29	8	Cabine parts	4 mm	Plywood
30	1	Cockpit panel	4 mm	Plywood
31A...31B	2	Deck shape maker parts	4 mm	Plywood
32	1	Servo floor	4 mm	Plywood
33	1	False keel-front	4 mm	Plywood
34	1	Back post house	4 mm	Plywood
35...38	5	Base parts	4 mm	Plywood
40	2	Front lids	4 mm	Plywood
41...44	6	Motor holder construction	4 mm	Plywood
45A	1	Front deck	4 mm	Plywood
45B	1	Front lids base	4 mm	Plywood
46	1	Rudder wheel house	4 mm	Plywood
D5...D8	4	Front side panels	1,5 mm	Plywood
D9...D10	2	Bridge parts	1,5 mm	Plywood
D12...D13	2	Bridge parts	1,5 mm	Plywood
D14...D15	2	Bridge parts	1,5 mm	Plywood
D23...D27	9	Cabine stairs	1,5 mm	Plywood
D28	1	Bridge front part	1,5 mm	Plywood
D29	10	Window frames	1,5 mm	Plywood
D30...D32	6	Board light base parts	1,5 mm	Plywood
D33	2	Deck stairs	1,5 mm	Plywood
D37	1	Right rail side part	1,5 mm	Plywood
D34-D35	15	False frames	1,5 mm	Plywood
D45A...D45D	8	Middle chest parts	1,5 mm	Plywood
D46...D47	6	Life boat tube base parts	1,5 mm	Plywood
D48...D51	6	Cabine roof chest parts	1,5 mm	Plywood
D52	1	Left rail side part	1,5 mm	Plywood
D58...D69	12	Work table parts	1,5 mm	Plywood
D70...D71	2	Chest step platform frames	1,5 mm	Plywood
E1	1	Main deck	1,5 mm	Plywood
E2	1	Cabine front frame	1,5 mm	Plywood
E7	1	Cabine front part	1,5 mm	Plywood
E11	1	Bridge side part	1,5 mm	Plywood
E16...E18	4	Back post house parts	1,5 mm	Plywood
E19...E22	5	Cabine top parts	1,5 mm	Plywood
E36	1	Right rail top part	1,5 mm	Plywood
E38	1	Bridge part	1,5 mm	Plywood
E39...E40	2	Left rail top parts	1,5 mm	Plywood
E41	1	Back rail top part	1,5 mm	Plywood
E42...E44B	5	Middle chest parts	1,5 mm	Plywood
E53	1	Left rail side part	1,5 mm	Plywood
E54	1	Back rail side part	1,5 mm	Plywood
E55...E57	5	Chest parts	1,5 mm	Plywood
F1	1	Sail	-	Fabric
P1-1	5	Cabine glasses	1 mm	Plexy-Glass
P1-2	6	Cabine glasses	1 mm	Plexy-Glass
P2-1	2	Front lids	1 mm	Plexy-Glass
P2-2	1	Engine room door	1 mm	Plexy-Glass
P2-3	1	Cabine door	1 mm	Plexy-Glass
P2-4	4	Post house supports	1 mm	Plexy-Glass
P2-5...P2-6	4	Life boat tube parts	1 mm	Plexy-Glass

P2-7...P2-8	2	Radar base parts	1 mm	Plexy-Glass
P2-9	3	Handles	1 mm	Plexy-Glass

NO	QUANTITY	DESCRIPTION	SIZE	TYPE
P2-10	5	Handles	1 mm	Plexy-Glass
P2-11...P2-14	7	Winch parts	1 mm	Plexy-Glass
P2-15	1	Middle chest lid	1 mm	Plexy-Glass
P3-1	17	Cabine roof rail parts	1 mm	Plexy-Glass
P3-2	20	Bridge rail legs	1 mm	Plexy-Glass
P3-3	15	Front deck rail legs	1 mm	Plexy-Glass
P3-4	1	Stair rail legs	1 mm	Plexy-Glass
P3-5	1	Projector glass	1 mm	Plexy-Glass
P3-6	1	Vent pipe house	1 mm	Plexy-Glass
P3-7	1	Post light base	1 mm	Plexy-Glass
R1	1	Life ring	Ready	Plastic
R2	1	Life ring hang	Ready	Plexy-Glass
R3	1	Work table tool bottom part	Ready	Plexy-Glass
R4	1	Rail winch bottom part	Ready	Plexy-Glass
K1-1	12	Cabine window frames	1 mm	Wood Sheet
ME1	1	Shaft pipe	6x40 mm	Metal
ME2	1	Post winch shaft	1,5x15 mm	Metal
ME3	1	Main post top part	4x65 mm	Metal
ME4	1	Main post	6x185 mm	Metal
ME5	2	Main post legs	4x185 mm	Metal
ME6	3	Main post horizontal supports	4x70 mm	Metal
ME7	1	Front boom top part	4x55 mm	Metal
ME8	1	Front boom main part	6x95 mm	Metal
ME9	1	Front boom bottom part	4x40 mm	Metal
ME10	-	Rails	0,8 mm	Coil Wire
ME11	-	Rails	0,8 mm	Flat Wire
ME12	1	Life boat tube	16x29 mm	Metal
ME13...ME14	2	Funnel parts	10 mm	Metal
ME15	1	Vent pipe	4x35 mm	Metal
ME16	2	Vent pipe top parts	4x13 mm	Metal
ME17	4	Work table legs	2x20 mm	Metal
ME18	1	Rail winch shaft	4x29 mm	Metal
ME19	1	Chest step platform	20x70 mm	Metal Mesh
ME20	1	Rudder shaft	1,5x120 mm	Metal
ME21	1	Rudder shaft pipe	3x31 mm	Metal
ME22	1	Stair rail	2x80 mm	Metal
ME23	1	Back post	4x260 mm	Metal
ME24	1	Back post leg	3x203 mm	Metal
ME25	1	Back post leg	3x193 mm	Metal
ME26	1	Back post bottom boom	4x95 mm	Metal
ME27	1	Back post top boom	4x78 mm	Metal
S1	70	Cover strips	1,7x5x700 mm	Pine
S2	-	Laths	2x2 mm	Baswood
S3	1	False keel-bottom	4,5x4,5x440 mm	Wood
W1	1	Rudder	Ferdigdel	Wood
W2	3	Double hole blocks	Ferdigdel	Wood
WM1	1	Rudder wheel	-	White Metal
WM2	1	Speed indicator	-	White Metal
WM3A...WM3B	2	Speed control	-	White Metal
WM4...WM6	3	Radar parts	-	White Metal
WM-7	3	Lights	-	White Metal
WM8	1	Boom connect part	-	White Metal
WM9	1	Boom connect part	-	White Metal
WM11...WM12	2	Projector parts	-	White Metal
WM13	1	Life ring house	-	White Metal
WM14	2	Back boom connect parts	-	White Metal
WM15...WM16	3	Work table tool parts	-	White Metal
WM17	2	Rail winch side parts	-	White Metal
WM18...WM19	2	Propellar parts	-	White Metal
WM20	6	Bollards	-	White Metal
WM21	3	Rectangular idlers	-	White Metal
WM22	1	Idler	-	White Metal
WM23	2	Life boat tube lids	-	White Metal

Y1

1

Rope

Yarn

ASISTANT GUIDE

- ❖ Please read the instructions carefully before you start to build your model. Take notes if needed. So, you may find out the materials and the tools those you need.
- ❖ Use model knife to take out the parts the plywood sheets. Do not take them out with hand!
- ❖ Change of temperature effects on plywoods quickly. So that, do not release the plywoods. Keep them on a flat surface by putting weight on them.
- ❖ You may stick together the wooden parts easily if you sand the brown areas caused by laser with sand paper.
- ❖ You should use super glue and white glue to stick together the wooden parts and use the super glue for metal parts.
- ❖ Building the keel of your model, before stick the frames, be sure the frames properly seated on the keel. Otherwise you can't build the body of the model rightly. Exactly be sure that left and right side of the frames are compatible and symmetrical.
- ❖ After building the keel of your model, before the covering, you should test the frame edges by a cover strip. You should sand with a piece of sandpaper the frame edges at the right degree to touch the strips on to the surface exactly. The curves are mostly the front and back side of the body.
- ❖ You should keep the strip tips in the bowl filled with water approximately one hour. So that you may curve the strips on the curves easily these are mostly at the end and the front of the hull.
- ❖ You should cover the strip starting from the top for each side symmetrically.
- ❖ You should cut the upper side of the strip when overlap occurs especially at the front curve of the body.
- ❖ To make equal the surface of the body that caused by planking, you should sand with a piece of sandpaper (Firstly you should use thick sandpaper, then you can apply thin sandpaper), . You should fill the gaps after this processing. You may use leftover strips for wide gaps and model putty for small gaps.
- ❖ If you don't want to appear wooden tissue of the body of your model body; first, apply filler undercoat then sand with a thin sandpaper to make it ready to apply putty. Apply putty whole body and sandpaper again. Apply one more coat filler undercoat and sandpaper. You should not use very thick sandpaper to sand the putty and filler undercoat. You should repeat this process until you get the results as you want. You should apply undercoat paint to find out if any mistake appears at the body. The body gets ready for painting after these applications. You may use model brushes for filler coating. In order to understand whether the materials (such paint, filler, undercoat, varnish, etc.) are compatible with each other, you should test on the unnecessary parts.
- ❖ Some of the model's logo, name or the number are produced from decal paper. You should keep them in a bowl filled with warm water for two or three minutes. You should apply them to their places while releasing from their paper. You may attach easily If you apply gloss varnish to the place before applying the decals. You may apply matt, gloss or satin varnish after this application preferably.
- ❖ You should keep your model away from direct sunlight, heat and moist to avoid deformation in the course of time.